

Journal Pre-proof

Water science under the global epidemic of COVID-19: Bibliometric tracking on COVID-19 publication and further research needs

Bin Ji, Yaqian Zhao, Ting Wei, Peiying Kang



PII: S2213-3437(21)00334-1

DOI: <https://doi.org/10.1016/j.jece.2021.105357>

Reference: JECE105357

To appear in: *Journal of Environmental Chemical Engineering*

Received date: 21 January 2021

Revised date: 22 February 2021

Accepted date: 12 March 2021

Please cite this article as: Bin Ji, Yaqian Zhao, Ting Wei and Peiying Kang, Water science under the global epidemic of COVID-19: Bibliometric tracking on COVID-19 publication and further research needs, *Journal of Environmental Chemical Engineering*, (2021) doi:<https://doi.org/10.1016/j.jece.2021.105357>

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2021 Published by Elsevier.

Water science under the global epidemic of COVID-19: Bibliometric tracking on COVID-19 publication and further research needs

Bin Ji^{1,2}, Yaqian Zhao^{1,2*}, Ting Wei^{1,3}, Peiying Kang¹

¹*State Key Laboratory of Eco-Hydraulics in Northwest Arid Region, Xi'an University of Technology, Xi'an 710048, P.R. China, binjiscl@163.com; peiying_kang@163.com*

²*Department of Municipal and Environmental Engineering, Faculty of Water Resources and Hydroelectric Engineering, Xi'an University of Technology, Xi'an, 710048, P.R. China; yaqian.zhao@ucd.ie*

³*Chemical Engineering Department, University of Alcalá, Madrid, Spain, destiny0820@163.com*

* *Corresponding author: Yaqian Zhao: email: yaqian.zhao@ucd.ie*

ORCID: 0000-0002-2449-4370

Abstract:

There are overwhelming increases of studies and over 200,000 publications related to all the aspects of COVID-19. Among them, 262 papers were published by authors from 67 countries regarding COVID-19 with water science and technology. Although the transmission routes of SARS-CoV-2 in water cycle have not been proved, the water and wastewater play an important role in the control of COVID-19 pandemic. Accordingly, it is scholarly relevant and interesting to look into publications of COVID-19 in water science and technology to track the investigations for moving forward in the years to come. It is believed that, through the literature survey, the question on what we know and

what we do not know about COVID-19 so far can be clear, thus providing useful information for helping curbing the epidemic from water sector. This forms the basis of the current study. As such, a bibliometric analysis was conducted. It reveals that wastewater-based epidemiology (WBE) has recently gained global attention with the source and survival characteristics of coronavirus in the aquatic environment; the methodology of virus detection; the water hygiene; and the impact of the COVID-19 pandemic on the water ecosystem being the main topics in 2020. Various studies have shown that drinking water is safety whereas wastewater may be a potential risk during this pandemic. From the perspective of the water cycle, the scopes for further research needs are discussed and proposed, which could enhance the important role and value of water science in warning, monitoring, and predicting COVID-19 during epidemic outbreaks.

Keywords: Bibliometric analysis; COVID-19; SARS-CoV-2; Water and wastewater; Wastewater-based epidemiology.

1. Introduction

The coronavirus disease 2019 (COVID-19) caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) was epidemically spreading throughout the world in 2020. As the world hopes for swift roll-outs of COVID-19 via vaccines in 2021, researchers' ambitions are likely to still be constrained by the continuing pandemic and its effects for the moment. No doubt, COVID-19 study was the hottest topic throughout 2020. The scientific community has carried out massive research in various fields to respond this

global challenge, such as tracking the source of the virus, exploring possible treatments, and addressing the impact of the epidemic on the environment and socio-economy. As a whole, investigation of the COVID-19 became the most urgent priority while over 200,000 studies were published in 2020 [1]. More significantly, some major publishers removed paywalls from papers about COVID-19 last year to maximally speed development and findings into curbing the virus's impact such as strategies, vaccines and treatment approaches.

Water and wastewater play a particularly important role in the spread and control of coronavirus pandemics because clean water is the basic resource for life and any related activities including virus eradicating. Globally, scientists engaged in water research began their work at the beginning of the epidemic. Hundreds of articles were published in 2020 which focused on the investigation and discussion of COVID-19 related with water sector (science and technology). Several webinars to timely update investigation and exchange of ideas about COVID-19 in the water sector were also organized. There has been consensus on the role of water, sanitation and personal hygiene in reducing SARS-CoV-2 transmission and supporting the response to COVID-19 [2-4]. On the other hand, scientific reports indicated that SARS-CoV-2 has been widely detected in wastewater [5-18]. The occurrence, fates and potential treatment approaches of this virus in the water cycle should be urgently studied.

General, a series of scientific output confirmed that the water scientific community has offered possible solutions to COVID-19. Yet, considerable uncertainty remains the information about the fate of SARS-CoV-2 in water and wastewater and the removal efficiency for virus existing treatment infrastructure. It is necessary and interesting to

look back at the publications to track the investigations for the purpose of moving forward in the future. As such, we have reviewed the scientific publications related to COVID-19 in water and wastewater. Information extracted from the published literature was summarized regarding what we know about COVID-19 in water based on bibliometric analysis. Furthermore, future efforts and research agenda to help curbing the COVID-19 pandemic in water industry for professionals in the field of the water science and technology were proposed.

2. Overall publications related to weekly count case numbers of the epidemic

Several types of publications, such as peer-reviewed articles, reports, editorial material, letters, and opinions in the Web of Science, Dimensions, PubMed, and Google Scholar database, were searched. The terms of “COVID-19”, “SARS CoV-2”, “Severe acute respiratory syndrome coronavirus 2”, “2019 novel coronavirus”, “coronavirus 2019”, “coronavirus disease 2019”, “2019-novel CoV”, “2019 nCoV”, “HCoV-2019”, and “Water”, “Drinking water”, “Wastewater”, “Sewage”, “Sludge”, were used to search in the literature and databases. The suitable papers were based on the principles of that: 1) the accepted time of publication was from January 1, 2020 to December 31, 2020; 2) publications must closely describe the relationship between the water/wastewater (science and technology) and COVID-19/SARS CoV-2; 3) each publication must have complete article structure, for those without references will be removed; 4) the preprint articles are not included. The brief literature collection process includes several steps. The initial search yielded over 1,329, 1,799, 217, and 3,150 English papers in Web of Science, Dimensions, Pub Med, and Google Scholar, respectively. After removing duplicate

records, 1,030 papers remained. Then, by reading the title and abstract, the 762 records were screened. The publications were finally narrowed down to 262 full-text articles based on the above principles, which include 192 articles by context screening and 70 articles from snowball screening. These articles can then be divided into four categories of research article, review, editorial material & letters, and others (e.g. report, short communication, commentary, opinion, and news) (Fig. 1).

[Fig. 1]

In Fig. 1, the publications related to weekly count case numbers of the epidemic are jointly illustrated. Globally, there were 81,484,663 confirmed cases and 701,027 deaths of COVID-19 from January 4, 2020 to December 31, 2020 [19]. During this period, scientific publications also show a sharp increase together with the increase of the confirmed case numbers. The first accepted journal publication was an editorial perspectives in *Environmental Science: Water Research & Technology* on March 18, 2020. In this paper, the authors advocated that the water engineers and professionals need to understand the nature and fate of coronavirus in urban water cycle. The authors also proposed some future research needs, such as upgrading the existing water and wastewater treatment infrastructure; understanding the efficiency of inactivating the coronavirus; monitoring drinking water distribution system; and discussing the potential risks to the ecosystem and human health of the massive use of drugs; as well as the water and sanitation systems in developing countries [20]. Later, opinions and reviews were also accepted in large numbers. The first research article on the detection of the virus in sewage was accepted on April 9, 2020. In the study, the real-time reverse transcription

PCR (qRT-PCR) method was applied to detect SARS-CoV-2 RNA in hospital sewage. The result showed the positive at the entrance of the sewage disinfection pool and the negative after disinfection [21]. From the summer, the number of publications increased dramatically. While 48 documents were accepted before June 1, over 166 had been accepted till September 1, perhaps because the scientists began to return to their posts and then conduct research after the end of the first lockdown period.

Although 70.7% of the publications were peer-reviewed scientific journal papers, the number of review papers (106, 40.5%) was more than research articles (79, 30.2%). The review papers provided broad information and deep analysis about the COVID-19 related to water science and technology in various aspects. Opinion-type articles also accounted for a large proportion, while water engineers and professionals provided key viewpoints and information based on their knowledge and understanding to prevent and control virus transmission in water environment. For example, Lodder and de Roda Husman [22] provided perspective on “SARS-CoV-2 in wastewater: potential health risk, but also data source”, saying that the wastewater could be a sensitive surveillance system and early warning tool in pandemic. Wastewater-based epidemiology (WBE) has been quickly and widely tested in many countries and regions around the world, such as Spain [11, 23], Italy [8, 24, 25], UK [26], Netherlands [13], USA [27, 28], India [14, 29], Japan [15], Germany [7], Australia [17, 30], and United Arab Emirates [16]. Many countries, such as Ireland and China, were conducting such kind of research to closely monitor wastewater related SARS-CoV-2. These studies aimed to provide a diversified way to gain a deeper

understanding of the COVID-19 with the water industry and establish the platform to help curbing the ensuing and future epidemics.

3. Bibliometric tracking of the investigation trends since outbreak

Fig. 2 presents the network visualization map of co-occurrence based on key terms extracted from the titles and the abstracts of the 262 publications. The bibliometric analysis was performed on the VOSviewer software (version 1.6.15), in which the processes were referred to Ji, et al. [31]. The colors in Fig. 2 represent different clusters. Research on cluster 1 is focused mostly on the source and survival characteristics of coronavirus in aquatic environment. There are some evidences to support the possibility of water transmission of SARS-CoV-2. These include: 1) isolated virus from infected individuals' excrement [32, 33]; 2) detected virus RNA in municipal wastewater [7, 10, 14, 24]; 3) investigating the virus persistence in wastewater and tap water [34, 35]. All these show highly stability under certain conditions. No doubt, it is believed that such kind of information triggered people's concerns. Cluster 2 is in close relation to cluster 1. The methodology of virus detection is a prerequisite to ensure SARS-CoV-2 research in water and wastewater. The achievements of these investigations have been applied to the WBE system. In addition, the torrent of COVID-19 has significantly affected the socio-economy and daily life. Cluster 3 highlights the "Water, Sanitation and Hygiene (WASH)" as a critical control measure in COVID-19 pandemic. The importance of water and virus control is generally accepted and practiced, not only in drink water, but in daily water hygiene as well. The challenges of water availability, accessibility, and quality still remain a matter both in developing and developed countries because of impact of

COVID-19 pandemic [36-38]. Meanwhile, water can play an important role in revitalizing the economy after COVID-19 [37]. Finally, cluster 4 concerns on the impact of COVID-19 pandemic on water ecosystem. The government management measures during COVID-19 on the aquatic environment seem to have both positive and negative impacts. The lockdown measures restricted the human activity, with a consequence, and improved the surface water quality [39, 40]. However, disinfection threatens the aquatic ecosystem. Excessive use of disinfectants and the cumulative toxicity of disinfection by-products (DBPs) may destroy the fragile aquatic ecosystem [41, 42].

[Fig. 2]

Fig. 3 presents the density visualization map of the co-occurrence key terms with the warm red colors representing hot areas in the COVID-19 publication related to water science and technology. Sampling and detecting the SARS-CoV-2 and its RNA in wastewater are undoubtedly the hottest of research in 2020. Although the SARS-CoV-2 RNAs in wastewater have been widely reported, the method of sampling, storage, concentration, isolation, and detection are not the same in each study [43]. Obviously, as a key step in WEB system, the analytical protocols need more evaluation and investigation, which will be discussed in detail in later section of the review. The removal and fate of the virus in wastewater treatment plant (WWTP) have been widely investigated as WWTP is the wastewater collection and treatment site in the urban water cycle [44, 45]. Up till now, conventional WWTPs may be sufficient to eliminate the SARS-CoV-2, and there are no reports of transmission via contact with the effluent of WWTPs. Moreover, it is well known that the basic design principle of WWTPs is to

avoid the spread of potential pathogens in wastewater. Although the SARS-CoV-2 RNA has been detected in secondary effluent in some cases [11, 15], the infectivity of virus remains ascertained. In addition, the tertiary treatment and disinfection with a higher dosage can enhance the inactivation of SARS-CoV-2 in WWTPs [5]. Accordingly, the survival and persistence of coronaviruses in the environment through water-related routes are a concern and have also been highly investigating. The infectious of SARS-CoV-2 in wastewater can be remained for a few days [34], depending on the environmental conditions. Moreover, the impact of water safety and ecosystem and human health is also highly concerned.

[Fig. 3]

So far, there are 67 countries and regions contributing to the water science and technology with COVID-19 research activity (Fig. 4(a)). The country distribution of publications revealed a strong predominance of articles from the USA, India, UK, China, and Italy. Authors belonged to these countries have contributed 184 publication, while the USA has published more than a quarter of the total. Furthermore, regarding COVID-19 research types related to water science and technology, the USA is undoubtedly the most comprehensive. Its research directions include measurement of SARS-CoV-2 RNA in wastewater and sewage sludge [28, 46]; investigation of the persistence of SARS-CoV-2 in water and wastewater [34]; discussion of the potential transmission for SARS-CoV-2 in the water cycle [47, 48]; application of WBE for tracking COVID-19 [27, 49]; summarization of water policy and law to respond to COVID-19 [50, 51]; and spotlight on urban water quality under the pandemic [52] etc. India is the second largest productive

country regarding wastewater surveillance [14], water quality [53], and water ecology [54] etc. during COVID-19. However, some countries only have literature reviews without field research [55, 56], which may depend highly on the country's scientific research conditions and socio-economic levels. The technology and resource-poor regions remain under-studied. Generally, North America, Asia, Europe, and Oceania are active for scientific research and publication. However, it is evident that COVID-19 has disrupted science, reflecting the effect of the pandemic.

Travel bans, social distancing, 'lockdown' and closed borders hinder communication across the academic interface, but international cooperation and research have not been interrupted. Fig. 4(b) presents the cooperative publishing of articles among the top 10 countries. The USA, Australia, Japan, and India are active cooperative communities for documents publishing. Webinars and online conferences are important communication ways for academic exchange and dissemination during the pandemic. International Water Association (IWA) [57-59], International Water Resources Association (IWRA) [60], Water Research Foundation (WRF) [61], and United States Environmental Protection Agency (USEPA) [62], etc. have held a series of webinars to share latest research activities/outcomes and to address some issues related to water and COVID-19.

[Fig. 4]

Table 1 presents the top 10 cited research articles. The detection of SARS-CoV-2 in different types of wastewaters is of greatest concern to researchers. Ahmed, et al. [17] published a paper entitled "First confirmed detection of SARS-CoV-2 in untreated

wastewater in Australia: A proof of concept for the wastewater surveillance of COVID-19 in the community” in *Science of the Total Environment* on 15 April 2020, which was cited over 300 times from Google Scholar database by the end of 2020. They detected the presence of SARS-CoV-2 in the wastewater and then used the Monte Carlo approach to estimate the number of infected individuals in the watershed based on the number of RNA copies observed in the wastewater and proved that the WBE system could provide valuable information on monitoring the prevalence of infections among the population. There is an increased interest in the occurrence of SARS-CoV-2 RNA in wastewater based on other articles with high citation. In addition to the monitoring of SARS-CoV-2 in the wastewater or surface water, the assessment of the impact of COVID-19 pandemic on nature water bodies has also received extensive attention [40]. In term of the source of high cited research article, *Science of the Total Environment* occupied absolutely statuses (6 for 10). Coincidentally, all the water related COVID-19 papers have been published in 111 journals. *Science of the Total Environment* published 69 papers, the largest source of publications. As the top professional journal of water science and technology, *Water Research* ranked second, with 9 peer-reviewed articles published.

[Table 1]

4. State of the knowledge and research needs

4.1. The facts of COVID-19 with water

Overview of the pass year, the presence of SARS-CoV-2 in aquatic environment is an uncontroversial fact. Over 20 countries and territories have reported relevant evidences

(Fig. 5). It was not only presented in raw/untreated wastewater, the SARS-CoV-2 was detected in effluent from secondary treatment and sewage sludge as well, even in rivers [10, 18]. According to Bhowmick et al. [63], the virus has various routes into the water environment, especially in the urban water cycle. The SARS-CoV-2 may hide in faeces, urine, or vomit of the infected person, and then enter the sewage network. But in general, there are limited studies on the persistence of SARS-CoV-2 in water and wastewater. Mean T_{90} of viable infectious SARS-CoV-2 with a high-starting titer (10^5 TCID₅₀ mL⁻¹) in wastewater and tap water at 20 °C in laboratory is 1.6 and 2.0 days, respectively [34]. In conventional wastewater treatment processes, the primary treatment (screens, grit chamber, primary clarifier) at WWTPs may not be effective because of the size of the coronavirus (60 to 220 nm), whereas the activated sludge flocs adsorption and membrane filtration could effectively remove coronaviruses from the aqueous phase [29, 64]. However, the inactivation process is highly dependent on tertiary treatment with chemical oxidation disinfection and/or UV treatment [6]. Comparing the concentration of SARS-CoV-2 RNA in wastewater before and after treatment suggests that 1–2 log₁₀ viral titers can be removed [65], depending on the process and operational conditions. To date, however, the research on the infectivity of SARS-CoV-2 in wastewater is very limited, which requires trained staff and specialized equipment. One study shows that the infectivity of SARS-CoV-2 was null both in raw or treated wastewater, despite the presence of viral RNA in the samples in field investigation in Italy during the pandemic [10].

[Fig. 5]

Due to the virus transfer from the aqueous phase to the solids phase by adsorption, precipitation, and filtration, the sludge is a potential reservoir of SARS-CoV-2 in water and wastewater treatment [12, 66, 67]. While limited information about the SARS-CoV-2 in sludge, the risk of virus transmission in sludge disposal should not be ignored as the complex compounds in the sludge can shield viruses from disinfection [68].

The clear water is a fundamental resource to fight the pandemic. So far, there is no evidence to show that the SARS-CoV-2 was detected in drinking water. Moreover, the SARS-CoV-2 is an enveloped virus with a single-stranded RNA, it is less persistent in water than other non-enveloped viruses [69]. Waterworks or drinking water treatment plants are believed to be enough to remove pathogen and non-enveloped viruses, which should also inactivate the SARS-CoV-2. What we are trying to pay the attention is the safety of the water supply network system and the concentration of residual chlorine and/or monochloramine in the terminal water.

WBE provides a new idea for tracing COVID-19 source and monitoring infection dynamic in the community (Fig. 6). SARS-CoV-2 RNA can be detected in sewage before clinically confirmed cases [13, 26, 70], which supports that WBE could be a sensitive and an early warning tool for COVID-19 epidemiological surveillance. On the other hand, there is a correlation between the concentration of SARS-CoV-2 RNA in the municipal wastewater and the rise and fall of cases in COVID-19 pandemic [12, 47, 71]. These successful applications of WEB have prompted some countries to plan and implement

national wastewater monitoring programs, which can be used as virus tracking tools to supplement existing public health indicators [72].

[Fig. 6]

4.2. The scope for further research needs

Numerous publications in 2020 demonstrated and enhanced the important role and value of water science in warning, monitoring, and predicting COVID-19 during the epidemic outbreaks. No doubt, further studies are needed to explore the details of the relation between COVID-19 and the water environment.

4.2.1. The potential transmission of SARS-CoV-2 in the collection, treatment, and distribution of water cycle

There are several publications exploring the potential SARS-CoV-2 transmission via wastewater plumbing systems in buildings [73, 74]. Obviously, this is the important study with high value of COVID-19 early warning and curbing. However, more studies are needed to find nodes that may be overlooked and eradication of this transmission route. In the water/wastewater treatment process, workers dealing with drinking water, wastewater, and sludge may face potential risks. The risks of transmission from direct contact and derived from the sewage-derived aerosol need to be assessed [75]. For the distribution of wastewater systems, the sludge and wastewater discharged from WWTPs are potential infection risks, which may include coronaviruses. There are very limited research reports on the issue of SARS-CoV-2 RNA being detected in receptors water bodies. Rimoldi et al. [10] detected SARS-CoV-2 RNA in rivers in Italy and found no

infectivity. Another research report on SARS-CoV-2 RNA being detected in river water is from a low sanitation country of Ecuador, but the infectivity of SARS-CoV-2 has not been discussed [18]. Therefore, the survival characteristics of the virus in the receiving environment (lakes, rivers, soil, etc.) must be further evaluated. On the other hand, for drinking water distribution, network accident and cross-contamination are the most likely source of risk, while the biological safety of booster pumping stations in high-rise buildings also needs further study.

4.2.2. The survival/infection of SARS-CoV-2 in water cycle under field conditions

To date, only a few experiments have studied the survival of SARS-CoV-2 in tap water and wastewater. These experiments are cultured under relatively stable conditions (fixed temperature, constant nutrient substrate), while the survival rates could be different under complexly and variability field conditions. There are some key nodes that need to pay attention in water cycle: 1) wastewater plumbing systems: It is necessary to understand the survival features of virus from source to sink because the wastewater needs a certain time to be transported to a centralized WWTP; 2) wastewater treatment processes: Although some studies have described the fate of coronaviruses in WWTPs with observations of surrogates, the need for confirming the real removal performance of SARS-CoV-2 in treatment process is desirable. Moreover, mastering the removal or inactivating mechanism can further develop wastewater treatment technologies that efficiently remove coronavirus to avoid waste of resources and secondary risks caused by excessive operations.

4.2.3. The methods for the detection and quantification of coronaviruses in aquatic environment

The RT-qPCR and nested RT-PCR are available for detecting SARS-CoV-2 in wastewater, but more research is needed to effectively recover and optimize RNA extraction methods from different water matrices. In addition, the main drawbacks of PCR-based methods for viral nucleic acid detection are time-consumption and high costs. The paper-based devices may provide a “sample-to-answer” tool for near real-time and continuous detection of SARS-CoV-2 in wastewater [76]. It is critical indeed to develop reliable, cheap, easy-to-use protocol/tool for wastewater analysis to help control the pandemic in low- and middle-income countries and remote rural areas.

4.2.4. The standardized protocol for WBE

The research and application about WBE in COVID-19 has recently gained global attention, but there is an obvious need to establish a standardized protocol to strengthen the science of methodology and promote information sharing. Both WRF and IWA have held international webinars with the themes of “Environmental surveillance of COVID-19 indicators in sewersheds” [61] and “COVID-19: Wastewater-based epidemiology” [59], respectively. These Webinars share the cases and results of the WBE monitoring in COVID-19 and presented some new recommendations in several areas for WBE practices. The optimized protocols for SARS-CoV-2 detection and quantification from sampling to reporting the results in WBE have been discussed in great details in Michael-Kordatou et al. [67] and Daughton [77]. Of course, improving the detection sensitivity of SARS-CoV-2 RNA in sewage is the basis for reflecting the role of WBE early warning and

monitoring. In addition, measuring wastewater solids may be more sensitive than measuring SARS-CoV-2 in wastewater [9, 28]. Meanwhile, research on the viral load per an infected person or population and sewage network transportation efficiency, as well as the decay rate of viruses can provide more reliable data for WBE prediction models [78, 79]. All of these approaches and proposals need further study and standardized protocol should be established.

4.2.5. The secondary risk in water related with COVID-19

In order to control the spread of SARS-CoV-2 in the environment, the intensified disinfection has been undertaken in indoor and outdoor and water treatment process. The high concentrations of disinfectants and harmful DBPs (disinfection by-products) will pose potential risks to water quality and safety of water environment [41, 42]. There is the need to assess water quality and aquatic ecological integrity in before, during, and after the COVID-19 pandemic, and to develop novel disinfection technologies to minimize the environmental hazard load of disinfectants in water treatment. Similarly, the medical service is increasing the use of antiviral drugs to treat patients, which will have potential adverse effects on ecosystems when its residues or metabolites were discharging into wastewater and then entering water environment.

Another potential secondary risk comes from the stagnant water in reopening buildings after extended stagnation during the pandemic. Stagnant water can have chemical and microbiological contaminants that pose potential health risks to occupants [80]. In particular, water stagnation in buildings may lead to *Legionella* growth, but study on the relationship between Legionnaires' disease cases and COVID-19 lockdowns is still

limited [81]. This should be considered to ensure the safety building water system and devices when reopening buildings.

As an effective and inexpensive way to prevent the coronavirus outbreak, personal protective equipment (PPE) has significantly increased in the demand and consumption during the COVID-19 [82, 83]. However, after a large amount of PPE is used, the challenge is how to dispose of such plastic products. It has been estimated that 1.56 billion masks could enter ocean in 2020, which pose an existential threat to marine wildlife and ecosystems [84]. In particular, it is noted that plastics will be further broken down into microplastics (MPs) which are regarded as an emerging pollutant [85]. Actually, limited information was exists in the literature on the source, abundance, and distribution of PPE in aquatic environment. Some scientists have initially studied its behavior in the marine environment [86, 87], but in the freshwater environment it remains unclear.

4.2.6. Water and digital revolution in pandemic

The ongoing COVID-19 limits human activities, but provides an opportunity to focus on investigating the virus. What happens when the Covid-19 virus gets into the environment through human digestive waste? We know that faeces from people infected with the SARS-CoV-2 virus can contain genetic material (RNA) from the virus, and that it is possible to detect that viral RNA in sewage. This will provide insight into the prevalence of the virus in the community, and serve as an early warning system for a new wave of infection. In addition, this is also an opportunity to promote the digital revolution of the water industry. Merging accurate biosensor tools in wastewater with big data analytics,

machine learning strategies will provide a valuable scenario for making predictions way before symptoms appear in a certain community. Digital technology can optimize the water treatment process and management resource allocation to support the achievement of the Sustainable Development Goals (SDG) in the COVID-19 pandemic [88, 89]. This can also help to work out what happens to the SARS-CoV-2 virus in nearby bodies of water such as rivers, streams and sea, including the swimming water in beach.

5. Conclusions

Although researchers' ambitions for swift roll-outs of COVID-19 in 2021 are likely to still be constrained by the continuing pandemic and its effects for the moment, COVID-19 study was the hottest topic throughout 2020. By December 31, 2020, authors from 67 countries have published 262 COVID-19 publications related to water science and technology. These studies have greatly demonstrated and enhanced the important role and value of water science and technology during COVID-19 pandemic. Studies have shown that drinking water is safe whereas wastewater may be a potential risk during this pandemic. Based on the bibliometric analysis, the source and survival characteristics of coronavirus in the aquatic environment, the methodology of virus detection, the water hygiene, and the impact of the COVID-19 pandemic on the water ecosystem are the highlighted topics in the past year. Due to the detection of SARS-CoV-2 in sewage in many places across the world, WBE becomes a highly important water science platform. Water scientists and professionals can provide unique and powerful information and practical guides to discover the blind spots of SARS-CoV-2 in the water cycle and further curb the spread of the virus. For better doing so, we need more research on the

relationship between COVID-19 and water. The topics of the potential transmission and survival characteristics of SARS-CoV-2 in the collection, treatment, and distribution of water cycle; the method of detection of virus in different aquatic environment; the standardized protocol for WASH; and the secondary risk for water health; as well as the digital revolution in water industry are highly desirable for investigation.

Acknowledgement

The authors are grateful for the financial support provided by the Xi'an University of Technology.

References:

- [1] H. Else, How a torrent of COVID science changed research publishing — in seven charts, *Nature* 588 (2020) 553.
- [2] O.O. Donde, E. Atoni, A.W. Muia, P.T. Yillia, COVID-19 pandemic: Water, sanitation and hygiene (WASH) as a critical control measure remains a major challenge in low-income countries, *Water Res.* 191 (2021) 116793.
- [3] J. Stoler, W.E. Jepson, A. Wutich, Beyond handwashing: Water insecurity undermines COVID-19 response in developing areas, *J Glob Health* 10 (2020) 010355.
- [4] G. Howard, J. Bartram, C. Brocklehurst, J.M. Colford, Jr, F. Costa, D. Cunliffe, R. Dreibelbis, J.N.S. Eisenberg, B. Evans, R. Girones, S. Hruday, J. Willetts, C.Y. Wright, COVID-19: urgent actions, critical reflections and future relevance of 'WaSH': lessons for the current and future pandemics, *J. Water Health* 18 (2020) 613-630.

- [5] B. Saawarn, S. Hait, Occurrence, fate and removal of SARS-CoV-2 in wastewater: Current knowledge and future perspectives, *J. Environ. Chem. Eng.* 9 (2021) 104870.
- [6] B. Ji, Y. Zhao, A. Esteve-Núñez, R. Liu, Y. Yang, A. Nzihou, Y. Tai, T. Wei, C. Shen, Y. Yang, B. Ren, X. Wang, Y.e. Wang, Where do we stand to oversee the coronaviruses in aqueous and aerosol environment? Characteristics of transmission and possible curb strategies, *Chem. Eng. J.* (2021) 127522.
- [7] S. Westhaus, F.A. Weber, S. Schiwy, V. Linnemann, M. Brinkmann, M. Widera, C. Greve, A. Janke, H. Hollert, T. Wintgens, S. Ciesek, Detection of SARS-CoV-2 in raw and treated wastewater in Germany - Suitability for COVID-19 surveillance and potential transmission risks, *Sci. Total Environ.* 751 (2021) 141750.
- [8] G. La Rosa, P. Mancini, G. Bonanno Ferraro, C. Veneri, M. Iaconelli, L. Bonadonna, L. Lucentini, E. Suffredini, SARS-CoV-2 has been circulating in northern Italy since December 2019: Evidence from environmental monitoring, *Sci. Total Environ.* 750 (2021) 141711.
- [9] K. Kitamura, K. Sadamasu, M. Muramatsu, H. Yoshida, Efficient detection of SARS-CoV-2 RNA in the solid fraction of wastewater, *Sci. Total Environ.* 763 (2021) 144587.
- [10] S.G. Rimoldi, F. Stefani, A. Gigantiello, S. Polesello, F. Comandatore, D. Mileto, M. Maresca, C. Longobardi, A. Mancon, F. Romeri, C. Pagani, F. Cappelli, C. Roscioli, L. Moja, M.R. Gismondo, F. Salerno, Presence and infectivity of SARS-CoV-2 virus in wastewaters and rivers, *Sci. Total. Environ* 744 (2020) 140911.
- [11] W. Randazzo, P. Truchado, E. Cuevas-Ferrando, P. Simón, A. Allende, G. Sánchez, SARS-CoV-2 RNA in wastewater anticipated COVID-19 occurrence in a low prevalence area, *Water Res.* 181 (2020) 115942.

- [12] J. Peccia, A. Zulli, D.E. Brackney, N.D. Grubaugh, E.H. Kaplan, A. Casanovas-Massana, A.I. Ko, A.A. Malik, D. Wang, M. Wang, J.L. Warren, D.M. Weinberger, W. Arnold, S.B. Omer, Measurement of SARS-CoV-2 RNA in wastewater tracks community infection dynamics, *Nat. Biotechnol.* 38 (2020) 1164-1167.
- [13] G. Medema, L. Heijnen, G. Elsinga, R. Italiaander, A. Brouwer, Presence of SARS-Coronavirus-2 RNA in Sewage and Correlation with Reported COVID-19 Prevalence in the Early Stage of the Epidemic in The Netherlands, *Environ. Sci. Technol. Lett.* 7 (2020) 511-516.
- [14] M. Kumar, A.K. Patel, A.V. Shah, J. Raval, N. Rajpara, M. Joshi, C.G. Joshi, First proof of the capability of wastewater surveillance for COVID-19 in India through detection of genetic material of SARS-CoV-2, *Sci. Total Environ.* 746 (2020) 141326.
- [15] E. Haramoto, B. Malla, O. Thakali, M. Kitajima, First environmental surveillance for the presence of SARS-CoV-2 RNA in wastewater and river water in Japan, *Sci. Total Environ.* 737 (2020) 140405.
- [16] A. Albastaki, M. Naji, R. Lootah, R. Almeheiri, H. Almulla, I. Almarri, A. Alreymi, A. Aden, R. Alghafri, First confirmed detection of SARS-COV-2 in untreated municipal and aircraft wastewater in Dubai, UAE: the use of wastewater based epidemiology as an early warning tool to monitor the prevalence of COVID-19, *Sci. Total Environ.* (2020) 143350.
- [17] W. Ahmed, N. Angel, J. Edson, K. Bibby, A. Bivins, J.W. O'Brien, P.M. Choi, M. Kitajima, S.L. Simpson, J. Li, B. Tschärke, R. Verhagen, W.J.M. Smith, J. Zaugg, L. Dierens, P. Hugenholz, K.V. Thomas, J.F. Mueller, First confirmed detection of SARS-CoV-2 in untreated wastewater in Australia: A proof of concept for the wastewater surveillance of COVID-19 in the community, *Sci. Total Environ.* (2020) 138764.

- [18] L. Guerrero-Latorre, I. Ballesteros, I.M. Villacrés, M.G. Granda, B. Freire-Paspuel, B. Ríos-Touma, SARS-CoV-2 in river water: Implications in low sanitation countries, *Sci. Total Environ.* (2020) 140832.
- [19] WHO, WHO Coronavirus Disease (COVID-19) Dashboard, (2020)
<https://covid19.who.int/>.
- [20] V. Naddeo, H. Liu, Editorial Perspectives: 2019 novel coronavirus (SARS-CoV-2): what is its fate in urban water cycle and how can the water research community respond?, *Environ Sci: Water Res. Technol.* 6 (2020) 1213-1216.
- [21] J. Wang, H. Feng, S. Zhang, Z. Ni, L. Ni, Y. Chen, L. Zhuo, Z. Zhong, T. Qu, SARS-CoV-2 RNA detection of hospital isolation wards hygiene monitoring during the Coronavirus Disease 2019 outbreak in a Chinese hospital, *Int. J. Infect. Dis.* 94 (2020) 103-106.
- [22] W. Lodder, A.M. de Roda Husman, SARS-CoV-2 in wastewater: potential health risk, but also data source, *Lancet Gastroenterol Hepatol.* 5 (2020) 533-544.
- [23] I.G. Fernández-de-Mera, F.J. Rodríguez del-Río, J. de la Fuente, M. Pérez-Sancho, D. Hervás, I. Moreno, M. Domínguez, L. Domínguez, C. Gortázar, Detection of environmental SARS-CoV-2 RNA in a high prevalence setting in Spain, *Transboundary Emerging Dis.* 00 (2020) 1-6.
- [24] G. La Rosa, M. Iaconelli, P. Mancini, G. Bonanno Ferraro, C. Veneri, L. Bonadonna, L. Lucentini, E. Suffredini, First detection of SARS-CoV-2 in untreated wastewaters in Italy, *Sci. Total Environ.* 736 (2020) 139652.
- [25] G. Balacco, V. Totaro, V. Iacobellis, A. Manni, M. Spagnoletta, A.F. Piccinni, Influence of COVID-19 Spread on Water Drinking Demand: The Case of Puglia Region (Southern Italy), *Sustainability* 12 (2020) 5919.

- [26] J. Martin, D. Klapsa, T. Wilton, M. Zambon, E. Bentley, E. Bujaki, M. Fritzsche, R. Mate, M. Majumdar, Tracking SARS-CoV-2 in Sewage: Evidence of Changes in Virus Variant Predominance during COVID-19 Pandemic, *Viruses* 12 (2020) 1144.
- [27] R. Gonzalez, K. Curtis, A. Bivins, K. Bibby, M.H. Weir, K. Yetka, H. Thompson, D. Keeling, J. Mitchell, D. Gonzalez, COVID-19 surveillance in Southeastern Virginia using wastewater-based epidemiology, *Water Res.* 186 (2020) 116296.
- [28] K.E. Graham, S.K. Loeb, M.K. Wolfe, D. Catoe, N. Sinnott-Armstrong, S. Kim, K.M. Yamahara, L.M. Sassoubre, L.M. Mendoza Grijalva, L. Roldan-Hernandez, K. Langenfeld, K.R. Wigginton, A.B. Boehm, SARS-CoV-2 RNA in Wastewater Settled Solids Is Associated with COVID-19 Cases in a Large Urban Sewershed, *Environ. Sci. Technol.* 55 (2021) 488-498.
- [29] S. Arora, A. Nag, J. Sethi, J. Rajvanshi, S. Saxena, S.K. Shrivastava, A.B. Gupta, Sewage surveillance for the presence of SARS-CoV-2 genome as a useful wastewater based epidemiology (WBE) tracking tool in India, *Water Sci. Technol.* 82 (2020) 2823-2836.
- [30] W. Ahmed, B. Tschärke, P.M. Bertsch, K. Bibby, A. Bivins, P. Choi, L. Clarke, J. Dwyer, J. Edson, T.M.H. Nguyen, J.W. O'Brien, S.L. Simpson, P. Sherman, K.V. Thomas, R. Verhagen, J. Zaugg, J.F. Mueller, SARS-CoV-2 RNA monitoring in wastewater as a potential early warning system for COVID-19 transmission in the community: A temporal case study, *Sci. Total. Environ.* 761 (2021) 144216.
- [31] B. Ji, Y. Zhao, J. Vymazal, U. Mander, R. Lust, C. Tang, Mapping the field of constructed wetland-microbial fuel cell: A review and bibliometric analysis, *Chemosphere* 262 (2021) 128366.
- [32] H.W. Jeong, S.M. Kim, H.S. Kim, Y.I. Kim, J.H. Kim, J.Y. Cho, S.H. Kim, H. Kang, S.G. Kim, S.J. Park, E.H. Kim, Y.K. Choi, Viable SARS-CoV-2 in various specimens from COVID-19 patients, *Clin Microbiol Infect* 26 (2020) 1520-1524.

- [33] Y. Zhang, C. Chen, S. Zhu, C. Shu, D. Wang, J. Song, Y. Song, W. Zhen, Z. Feng, G. Wu, J. Xu, W. Xu, Isolation of 2019-nCoV from a stool specimen of a laboratory-confirmed case of the coronavirus disease 2019 (COVID-19), *China CDC Weekly* 2 (2020) 123-124.
- [34] A. Bivins, J. Greaves, R. Fischer, K.C. Yinda, W. Ahmed, M. Kitajima, V.J. Munster, K. Bibby, Persistence of SARS-CoV-2 in Water and Wastewater, *Environ. Sci. Techn. Lett.* 7 (2020) 937-942.
- [35] W. Ahmed, P.M. Bertsch, K. Bibby, E. Haramoto, J. Hewitt, F. Huygens, P. Gyawali, A. Korajkic, S. Riddell, S.P. Sherchan, S.L. Simpson, K. Sirikanchana, E.M. Symonds, R. Verhagen, S.S. Vasan, M. Kitajima, A. Bivins, Decay of SARS-CoV-2 and surrogate murine hepatitis virus RNA in untreated wastewater to inform application in wastewater-based epidemiology, *Environ. Res.* 191 (2020) 110092.
- [36] N. Rafa, S.M.N. Uddin, C. Staddon, Exploring challenges in safe water availability and accessibility in preventing COVID-19 in refugee settlements, *Water Int.* 45 (2020) 710-715.
- [37] S.H. Antwi, D. Getty, S. Linnane, A. Rolston, COVID-19 water sector responses in Europe: A scoping review of preliminary governmental interventions, *Sci. Total Environ.* 762 (2021) 143068.
- [38] S. Cotterill, S. Bunney, E. Lawson, A. Chisholm, R. Farmani, P. Melville-Shreeve, COVID-19 and the water sector: understanding impact, preparedness and resilience in the UK through a sector-wide survey, *Water Environ. J.* 34 (2020) 715-728.
- [39] F. Braga, G.M. Scarpa, V.E. Brando, G. Manfè, L. Zaggia, COVID-19 lockdown measures reveal human impact on water transparency in the Venice Lagoon, *Sci. Total Environ.* 736 (2020) 139612.

- [40] A.P. Yunus, Y. Masago, Y. Hijioka, COVID-19 and surface water quality: Improved lake water quality during the lockdown, *Sci. Total Environ.* 731 (2020) 139012.
- [41] H. Zhang, W. Tang, Y. Chen, W. Yin, Disinfection threatens aquatic ecosystems, *Science* 368 (2020) 146.
- [42] W. Chu, C. Fang, Y. Deng, Z. Xu, Intensified Disinfection Amid COVID-19 Pandemic Poses Potential Risks to Water Quality and Safety, *Environ. Sci. Technol.* (2020).
- [43] N. Alygizakis, A.N. Markou, N.I. Rousis, A. Galani, M. Avgeris, P.G. Adamopoulos, A. Scorilas, E.S. Lianidou, D. Paraskevis, S. Tsiodras, A. Tsakris, M.-A. Dimopoulos, N.S. Thomaidis, Analytical methodologies for the detection of SARS-CoV-2 in wastewater: Protocols and future perspectives, *TrAC, Trends Anal. Chem.* 134 (2021) 116125.
- [44] Q. Wu, W.-T. Liu, Determination of virus abundance, diversity and distribution in a municipal wastewater treatment plant, *Water Res.* 43 (2009) 1101-1109.
- [45] A. Carducci, P. Morici, F. Pizzi, R. Battistini, E. Rovini, M. Verani, Study of the viral removal efficiency in a urban wastewater treatment plant, *Water Sci. Technol.* 58 (2008) 893-897.
- [46] S.P. Sherchan, S. Shahin, L.M. Ward, S. Tandukar, T.G. Aw, B. Schmitz, W. Ahmed, M. Kitajima, First detection of SARS-CoV-2 RNA in wastewater in North America: A study in Louisiana, USA, *Sci. Total Environ.* 743 (2020) 140621.
- [47] A. Nemudryi, A. Nemudraia, K. Surya, T. Wiegand, M. Buyukyoruk, R. Wilkinson, B. Wiedenheft, Temporal detection and phylogenetic assessment of SARS-CoV-2 in municipal wastewater, *Cell Rep. Med.* 1 (2020) 100098.

- [48] C.V. McDermott, R.Z. Alicic, N. Harden, E.J. Cox, J.M. Scanlan, Put a lid on it: are faecal bio-aerosols a route of transmission for SARS-CoV-2?, *J. Hosp. Infect.* 105 (2020) 397-398.
- [49] O.E. Hart, R.U. Halden, Computational analysis of SARS-CoV-2/COVID-19 surveillance by wastewater-based epidemiology locally and globally: Feasibility, economy, opportunities and challenges, *Sci. Total Environ.* 730 (2020) 138875.
- [50] R.B. Sowby, Emergency preparedness after COVID-19: A review of policy statements in the U.S. water sector, *Utilities Policy* 64 (2020) 101058.
- [51] R. Larson, Water law and the response to COVID-19, *Water International* 45 (2020) 716-721.
- [52] D.W. Hallema, F.-N. Robinne, S.G. McNulty, Pandemic spotlight on urban water quality, *Ecol. Processes* 9 (2020) 22.
- [53] S. Selvam, K. Jesuraja, S. Venkatramanan, S.Y. Chung, P.D. Roy, P. Muthukumar, M. Kumar, Imprints of pandemic lockdown on subsurface water quality in the coastal industrial city of Tuticorin, South India: A revival perspective, *Sci. Total Environ.* 738 (2020) 139848.
- [54] D.R. Mishra, A. Kumar, P.R. Muduli, S.M. Equeenuddin, G. Rastogi, T. Acharyya, D. Swain, Decline in Phytoplankton Biomass along Indian Coastal Waters due to COVID-19 Lockdown, *Remote Sens.* 12 (2020) 2584.
- [55] A. Al-Gheethi, M. Al-Sahari, M. Abdul Malek, E. Noman, Q. Al-Maqtari, R. Mohamed, B.A. Talip, S. Alkhadher, M.S. Hossain, Disinfection Methods and Survival of SARS-CoV-2 in the Environment and Contaminated Materials: A Bibliometric Analysis, *Sustainability* 12 (2020) 7378.

- [56] S. Cheval, C. Mihai Adamescu, T. Georgiadis, M. Herrnegger, A. Piticar, D.R. Legates, Observed and Potential Impacts of the COVID-19 Pandemic on the Environment, *Int. J. Env. Res. Pub. He.* 17 (2020) 4140.
- [57] IWA, COVID-19: A Water Professional's Perspective, (2020) <https://iwa-network.org/learn/covid-19-a-water-professionals-perspective/>.
- [58] IWA, COVID-19: Sewage Monitoring for Public Health, (2020) <https://iwa-network.org/learn/covid-19-sewage-monitoring-for-public-health/>.
- [59] IWA, COVID-19: Wastewater-based Epidemiology, (2020) <https://iwa-network.org/learn/covid-19-wastewater-based-epidemiology/>.
- [60] IWRA, Water & COVID-19, (2020) <https://www.iwra.org/waterandcovid19-webinar/>.
- [61] WRF, Virtual International Water Research Summit on COVID-19, (2020) <https://www.waterrf.org/event/virtual-international-water-research-summit-covid-19>.
- [62] USEPA, EPA Expands Research on COVID-19 in the Environment, (2020) <https://www.epa.gov/emergency-response-research/epa-expands-research-covid-19-environment>.
- [63] G.D. Bhowmick, D. Dhar, D. Nath, M.M. Ghangrekar, R. Banerjee, S. Das, J. Chatterjee, Coronavirus disease 2019 (COVID-19) outbreak: some serious consequences with urban and rural water cycle, *npj Clean Water* 3 (2020).
- [64] R.M. Chaudhry, K.L. Nelson, J.E. Drewes, Mechanisms of Pathogenic Virus Removal in a Full-Scale Membrane Bioreactor, *Environ. Sci. Technol.* 49 (2015) 2815-2822.

- [65] K. Farkas, L.S. Hillary, S.K. Malham, J.E. McDonald, D.L. Jones, Wastewater and public health: the potential of wastewater surveillance for monitoring COVID-19, *Curr.Opin. Environ. Sci. Health* 17 (2020) 14-20.
- [66] W. Yang, C. Cai, X. Dai, The potential exposure and transmission risk of SARS-CoV-2 through sludge treatment and disposal, *Resour. Conserv. Recycl.* 162 (2020) 105043.
- [67] I. Michael-Kordatou, P. Karaolia, D. Fatta-Kassinou, Sewage analysis as a tool for the COVID-19 pandemic response and management: the urgent need for optimised protocols for SARS-CoV-2 detection and quantification, *J. Environ. Chem. Eng.* 8 (2020) 104306.
- [68] D. Zhang, H. Ling, X. Huang, J. Li, W. Li, C. Yi, T. Zhang, Y. Jiang, Y. He, S. Deng, X. Zhang, X. Wang, Y. Liu, G. Li, J. Qu, Potential spreading risks and disinfection challenges of medical wastewater by the presence of Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) viral RNA in septic tanks of Fangcang Hospital, *Sci. Total Environ.* 741 (2020) 140445.
- [69] P.M. Gundy, C.P. Gerba, I.L. Pepper, Survival of Coronaviruses in Water and Wastewater, *Food Environ. Virol.* 1 (2009) 10.
- [70] W. Randazzo, E. Cuevas-Ferrando, R. Sanjuán, P. Domingo-Calap, G. Sánchez, Metropolitan wastewater analysis for COVID-19 epidemiological surveillance, *Int. J. Hyg. Envir. Heal.* 230 (2020) 113621.
- [71] P. Mandal, A.K. Gupta, B.K. Dubey, A review on presence, survival, disinfection/removal methods of coronavirus in wastewater and progress of wastewater-based epidemiology, *J. Environ. Chem. Eng.* 8 (2020) 104317.
- [72] P.M. D'Aoust, E. Mercier, D. Montpetit, J.-J. Jia, I. Alexandrov, N. Neault, A.T. Baig, J. Mayne, X. Zhang, T. Alain, M.-A. Langlois, M.R. Servos, M. MacKenzie,

D. Figeys, A.E. MacKenzie, T.E. Graber, R. Delatolla, Quantitative analysis of SARS-CoV-2 RNA from wastewater solids in communities with low COVID-19 incidence and prevalence, *Water Res.* 188 (2021) 116560.

[73] M. Kang, J. Wei, J. Yuan, J. Guo, Y. Zhang, J. Hang, Y. Qu, H. Qian, Y. Zhuang, X. Chen, X. Peng, T. Shi, J. Wang, J. Wu, T. Song, J. He, Y. Li, N. Zhong, Probable Evidence of Fecal Aerosol Transmission of SARS-CoV-2 in a High-Rise Building, *Ann. In. Med.* 173 (2020) 974-980.

[74] M. Gormley, T.J. Aspray, D.A. Kelly, COVID-19: mitigating transmission via wastewater plumbing systems, *The Lancet Global Health* 8 (2020) e643.

[75] N.K. Singh, G. Sanghvi, M. Yadav, H. Padhiyar, A. Thanki, A state-of-the-art review on WWTP associated bioaerosols: Microbial diversity, potential emission stages, dispersion factors, and control strategies, *J. Hazard. Mater.* (2020) 124686.

[76] K. Mao, H. Zhang, Z. Yang, Can a Paper-Based Device Trace COVID-19 Sources with Wastewater-Based Epidemiology?, *Environ. Sci. Technol.* 54 (2020) 3733-3735.

[77] C.G. Daughton, Wastewater surveillance for population-wide Covid-19: The present and future, *Sci. Total Environ.* 736 (2020) 139631.

[78] A. Carducci, I. Federigi, D. Liu, J.R. Thompson, M. Verani, Making Waves: Coronavirus detection, presence and persistence in the water environment: State of the art and knowledge needs for public health, *Water Res.* 179 (2020) 115907.

[79] D. Polo, M. Quintela-Baluja, A. Corbishley, D.L. Jones, A.C. Singer, D.W. Graham, J.L. Romalde, Making waves: Wastewater-based epidemiology for COVID-19 – approaches and challenges for surveillance and prediction, *Water Res.* 186 (2020) 116404.

- [80] C.R. Proctor, W.J. Rhoads, T. Keane, M. Salehi, K. Hamilton, K.J. Pieper, D.M. Cwiertny, M. Prévost, A.J. Whelton, Considerations for large building water quality after extended stagnation, *AWWA Water Science* 2 (2020) e1186.
- [81] W.J. Rhoads, F. Hammes, Growth of *Legionella* during COVID-19 lockdown stagnation, *Environ Sci: Water Res. Technol.* 7 (2021) 10-15.
- [82] G.E. De-la-Torre, M.R.J. Rakib, C.I. Pizarro-Ortega, D.C. Dioses-Salinas, Occurrence of personal protective equipment (PPE) associated with the COVID-19 pandemic along the coast of Lima, Peru, *Sci. Total Environ.* 774 (2021) 145774.
- [83] J.C. Prata, A.L.P. Silva, T.R. Walker, A.C. Duarte, T. Rocha-Santos, COVID-19 Pandemic Repercussions on the Use and Management of Plastics, *Environ. Sci. Technol.* 54 (2020) 7760-7765.
- [84] T.P. Bondaroff, S. Cooke, Masks on the Beach: The Impact of COVID-19 on Marine Plastic Pollution, *OceansAsia*, 2020.
- [85] P. Kang, B. Ji, Y. Zhao, T. Wei, How can we trace microplastics in wastewater treatment plants: A review of the current knowledge on their analysis approaches, *Sci. Total Environ.* 745 (2020) 140943.
- [86] G.E. De-la-Torre, T.A. Aragaw, What we need to know about PPE associated with the COVID-19 pandemic in the marine environment, *Mar. Pollut. Bull.* 163 (2021) 111879.
- [87] T.A. Aragaw, Surgical face masks as a potential source for microplastic pollution in the COVID-19 scenario, *Mar. Pollut. Bull.* 159 (2020) 111517.
- [88] M. Poch, M. Garrido-Baserba, L. Corominas, A. Perelló-Moragues, H. Monclús, M. Cermerón-Romero, N. Melitas, S.C. Jiang, D. Rosso, When the fourth water and digital revolution encountered COVID-19, *Sci. Total Environ.* 744 (2020) 140980.

[89] E.B. Barbier, J.C. Burgess, Sustainability and development after COVID-19, World Development 135 (2020) 105082.

Figure Captions:

Fig. 1 The COVID-19 publication related to water science and technology with coronavirus cascade during 2020. Source for COVID-19 cases data: <https://covid19.who.int/> , accessed on 10 January 2021.

Fig. 2 Key terms occurrences network visualization map in COVID-19 publication related to water science and technology

Fig. 3 The density visualization map of co-occurrence keywords COVID-19 publication related to water science and technology

Fig. 4 The countries contributing to COVID-19 publication with water (a) and the cooperative publishing of articles among the top 10 countries (b).

Fig. 5 Confirmed cases of SARS-CoV-2 detection in global aqueous environment

Fig. 6 Schematic diagram of Water-Based Epidemiology (WBE) and potential application (Modified from Farkas, et al. [65])




Figure 5




Figure 6


Table 1 The top 10 cited research articles in COVID-19 publication related to water science and technology

No	Title	First Author	Corresponding Author	Accepted	Cited Times ^a	Source
1	First confirmed detection of SARS-CoV-2 in untreated wastewater in Australia: A proof of concept for the wastewater surveillance of COVID-19 in the community	Warish Ahmed	Warish Ahmed	15 April 2020	336	Science of the Total Environment
2	SARS-CoV-2 RNA in wastewater anticipated COVID-19 occurrence in a low prevalence area	Walter Randazzo	Gloria Sanchez	12 May 2020	177	Water Research
3	First detection of SARS-CoV-2 in untreated wastewaters in Italy	Giuseppina La Rosa	Giuseppina La Rosa	21 May 2020	151	Science of the Total Environment
4	Presence of SARS-Coronavirus-2 RNA in sewage and correlation with reported COVID-19 prevalence in the early stage of the epidemic in the Netherlands	Gertjan Medema	Gertjan Medema	20 May 2020	147	Environmental Science & Technology Letters
5	SARS-CoV-2 titers in wastewater are higher than expected from clinically confirmed cases	Fuqing Wu	Eric J. Alm	6 July 2020	127	mSystems
6	Computational analysis of SARS-CoV-2/COVID-19 surveillance by wastewater-based epidemiology locally and globally: Feasibility, economy, opportunities and challenges	Olga E.Hart	Rolf U. Halden	19 April 2020	114	Science of the Total Environment
7	SARS-CoV-2 RNA detection of hospital isolation wards hygiene monitoring	Jie Wang	Ting ting Qu	9 April 2020	91	International Journal of Infectious Diseases

8	during the Coronavirus Disease 2019 outbreak in a Chinese hospital Presence and infectivity of SARS-CoV-2 virus in wastewaters and rivers	Sara Giordana Rimoldi	Fabrizio Stefani	10 July 2020	81	Science of the Total Environment
9	First environmental surveillance for the presence of SARS-CoV-2 RNA in wastewater and river water in Japan	Eiji Haramoto	Eiji Haramoto	19 June 2020	78	Science of the Total Environment
10	COVID-19 and surface water quality: Improved lake water quality during the lockdown	Ali P. Yunus	Ali P. Yunus	24 April 2020	66	Science of the Total Environment

a: number of citations as of the end of 2020

Graphical abstract



Declaration of interests

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Journal Pre-proof

Highlights

- 262 papers published by authors of 67 countries/regions regarding COVID-19 with water science and technology in 2020;
- Two research trends of source & survival characteristics and the methodology of virus detection;
- Further research needs of standardized protocol for WEB and secondary risk for water health;
- The digital revolution in water industry being helpful for COVID-19 control.