

M L M Nizar and A M D Amarakoon

Dept. of Physics, University of Peradeniya

Neutron activation analysis of rock samples, soil samples and sands found in Peradeniya and vicinity have been carried out using a  $^{252}\text{Cf}$  neutron source. The results indicate a wide range for the concentration of Mn from 0.015% (150 ppm) to 0.36% (3600 ppm), a high concentration of Al varying from about 3% to 18% and Na varying from 0.07% to 3.4%.

#### References

1. Dharmadasa, D., Kulathilake, A.I., Ramakrishna, R.S. (1982) Trace metal analysis of river sediments Proc. Sri Lanka Assoc. Advmt. Sci. 38(1) 74.
2. Amarakoon, A.M.D. (1977) Neutron capture gamma-ray spectroscopy using  $^{252}\text{Cf}$ . M.Sc. Thesis LSU, USA.
3. Hassan, A.M. et al (1983) Analytical applications of neutron capture gamma-ray spectroscopy J. Phys. D:Appl. Phys. 16 2061-2074.
4. Quittner, P. (1983) Neutron activation analysis. Laboratory project report Dept. of Physics, University of Peradeniya.
5. Nizar, M.L.M. (1983) Neutron activation analysis of local detergents for traces of Na. Student project report.